





An Innovative Sanding Block:

Now Techs can sand contours with a block that holds a set shape and is easy to grip.

Malco Conformable Sanders

are the first re-usable sanding blocks capable of holding a desired hand-pressed geometry throughout the entire sanding operation. The segmented block features a slide interface that works with standard 2-3/4 inch wide hook and loop backed abrasive paper.

Available in 5 and 8 inch Sanding Block Lengths. **U.S. Patent Pending**







Mac Products MACONFORMABLE Sancter

Exclusive Sanding Block Design







Segmented block quickly conforms to and holds contours down to 8-1/2 (216 mm) inside block radius to produce Convex, Concave or S-curve shapes.

Maleo Ingeneticy

- A generous gripping area on block reduces fatigue and ensures even-pressure sanding.
- An internal aluminum memory bar holds the block and slide contour in place, and can be set and re-set with reasonable hand force.
- The thin, flexible paper slide interface allows block contour to be changed without buckling or tearing abrasive paper. There is no need to reposition the paper, and worn paper may be replaced without changing the block contour or removing slide.
- Engineered polymer block and slide are impervious to shop solvents and will not mar or scratch auto body surface.
- The Malco Conformable Sander is available in 8-1/4 inch and 5-1/2 inch sanding lengths, to match standard paper tear-off lengths.
- Inexpensive paper-slides CSH5S (5-1/2 inch) and CSH8S (8-1/4 inch) are a replaceable part and are available in convenient 3-packs.



Ergonomic shape of block is easy to grip, reduces fatigue.



Innovative Slide Design extends past block end preventing buckling of attached sand paper.



Available in 5 or 8-inch sanding block lengths.



Replacement Slides are available in convenient 3-packs.

Specifications — Conformable Sanders

Catalog		Paper Requirements	Paper-Slide Dimensions L x W	Nom. Block Dimensions L x W x H	Min. Block Inside Radius	Net Weight
Number	Description	In. (mm)	in. (mm)	in. (mm)	in. (mm)	oz. (g)
CSH5	Conformable Sander - 5 in.	2.75 in. W (70 mm) Hook & Loop	2.75 x 5.5 in. (70 x 140 mm)	5.625 x 2.75 x 2.25 in. (20 x 70 x 57 mm)	8.5 in. (216 mm)	7.1 oz (201 g)
CSH8	Conformable Sander - 8 in.	2.75 in. W (70 mm) Hook & Loop	2.75 x 8.25 in. (70 x 210 mm)	8.375 x 2.75 x 2.25 in. (213 x 70 x 57 mm)	8.5 in. (216 mm)	10.5 oz (298 g)

Replacement Slides

Catalog		Paper Capacity	Paper-Slide Dimensions L x W		
Number	Description	in. (mm)	in. (mm)	UOM	Package Qty.
CSH5S	Replacement Slide for CSH5	2.75 in. W (70 mm) Hook & Loop	2.75 x 5.5 in. (70 x 140 mm)	EA	3
CSH8S	Replacement Slide for CSH8	2.75 in. W (70 mm) Hook & Loop	2.75 x 8.25 in. (70 x 210 mm)	EA	3

